

This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:element name="comptabilite">
    <xs:complexType>
      <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="1" ref="exercice"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="exercice">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="DateCloture" minOccurs="1" maxOccurs="1" type="UnionDate"/>
        <xs:element minOccurs="1" maxOccurs="unbounded" ref="journal"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="journal">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="JournalCode" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="JournalLib" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element minOccurs="0" maxOccurs="unbounded" ref="écriture"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="écriture">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="EcritureNum" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="EcritureDate" minOccurs="1" maxOccurs="1" type="UnionDate"/>
        <xs:element name="EcritureLib" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="PieceRef" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="PieceDate" minOccurs="1" maxOccurs="1" type="UnionDate"/>
        <xs:element name="EcritureLet" minOccurs="0" maxOccurs="1" type="xs:string"/>
        <xs:element name="DateLet" minOccurs="0" maxOccurs="1" type="UnionDate"/>
        <xs:element name="ValidDate" minOccurs="1" maxOccurs="1" type="UnionDate"/>
        <xs:element minOccurs="2" maxOccurs="unbounded" ref="ligne"/>
      </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="ligne">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="CompteNum" minOccurs="1" maxOccurs="1" type="NumCompteFormat"/>
        <xs:element name="Comptelib" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <!-- On laisse le choix pour conserver la comptatibilité -->
        <xs:choice minOccurs="0" maxOccurs="1">
          <xs:element name="CompAuxNum" minOccurs="0" maxOccurs="1" type="xs:string"/>
          <xs:element name="CompteAuxNum" minOccurs="0" maxOccurs="1" type="xs:string"/>
        </xs:choice>
        <!-- On laisse le choix pour conserver la comptatibilité -->
        <xs:choice minOccurs="0" maxOccurs="1">
          <xs:element name="CompAuxLib" minOccurs="0" maxOccurs="1" type="xs:string"/>
          <xs:element name="CompteAuxLib" minOccurs="0" maxOccurs="1" type="xs:string"/>
        </xs:choice>
        <xs:element name="Montantdevise" minOccurs="0" maxOccurs="1" type="xs:string"/>
        <xs:element name="Idevise" minOccurs="0" maxOccurs="1" type="xs:string"/>
        <xs:choice minOccurs="1" maxOccurs="1">
          <xs:element name="Debit" minOccurs="1" maxOccurs="1" type="xs:float"/>
          <xs:element name="Credit" minOccurs="1" maxOccurs="1" type="xs:float"/>
        </xs:choice>
        <xs:sequence minOccurs="1" maxOccurs="1">
          <xs:element name="Montant" minOccurs="1" maxOccurs="1" type="xs:float"/>
          <xs:element name="Sens" minOccurs="1" maxOccurs="1" type="SensFormat"/>
        </xs:sequence>
      </xs:sequence>
    </xs:complexType>
  </xs:element>

```

```

        <!-- On peut ajouter n'importe quel élément à la suite -->
        <xs:any processContents="lax" minOccurs="0" maxOccurs="unbounded"/>
    </xs:sequence>
</xs:complexType>
</xs:element>
<!-- Une date doit être de type aaaa-mm-jj ou aaaa-mm-jjThh:mm:ss -->
<xs:simpleType name="UnionDate">
    <xs:union>
        <xs:simpleType>
            <xs:restriction base="xs:date"/>
        </xs:simpleType>
        <xs:simpleType>
            <xs:restriction base="xs:dateTime"/>
        </xs:simpleType>
    </xs:union>
</xs:simpleType>
<!-- Un numéro de compte doit commencer par 3 chiffres -->
<xs:simpleType name="NumCompteFormat">
    <xs:restriction base="xs:string">
        <xs:minLength value="3"/>
        <xs:pattern value="([0-9]{3}([0-9a-zA-Z]*))"/>
    </xs:restriction>
</xs:simpleType>
<!-- Le sens doit être du type d, D, c, C, +1 ou -1 -->
<xs:simpleType name="SensFormat">
    <xs:restriction base="xs:string">
        <xs:enumeration value="d"/>
        <xs:enumeration value="D"/>
        <xs:enumeration value="c"/>
        <xs:enumeration value="C"/>
        <xs:enumeration value="-1"/>
        <xs:enumeration value="+1"/>
    </xs:restriction>
</xs:simpleType>
</xs:schema>

```